

# Guidelines for the use of logos

//ispmanager

# Contents

<b>Company logo</b> .....	<b>3</b>
Logo, basic version .....	4
Mark, basic version .....	5
Versions for different backgrounds .....	6
Logo margin .....	7
Mark margin .....	8
Logo color palette .....	9
<b>Use of company logo</b> .....	<b>10</b>
Use on different backgrounds .....	11
Inadmissible uses of the logo .....	12

# Company logo

# Logo

## Basic version

The ISPmanager logo is a basic element of the company's corporate identity

The logo is used only in horizontal position



# Mark

## Basic version

The mark may only be used on media that already contains the full logo (including on another page) or is in a branded environment (such as a logo location)



## Versions for different backgrounds

For a light background, the basic version of the logo and the mark are used in corporate colors

For a dark background, the basic version of the logo and the mark are used in white. As a dark background, it is preferable to use the corporate dark gray color



The logo consists of two slanted parallel bars to the left of the text 'ispmanager'. In this version, the bars are teal and the text is black, set against a white background.




The logo consists of two slanted parallel bars to the left of the text 'ispmanager'. In this version, both the bars and the text are white, set against a dark gray background.

# Logo margin

The margin of the logo is lined up based on the height of the letter "e"


The presence of any other objects (graphics or text) and a bright background in the space of the margin, except for the logo itself, is not allowed



# Mark margin

The margin of the mark is lined up based on the height of the letter "e"

The presence of any other objects (graphics or text) and a bright background in the space of the margin, except for the mark itself, is not allowed



# Logo Color palette

The color palette of the ISPmanager logo consists of two primary colors

When it is not possible to use the basic version of the logo, the white version is used

<b>Green ISPmanager</b>	<b>CMYK</b> 71-0-53-0	<b>RGB</b> 86-207-171 #56CFAB	<b>Pantone</b> 7465 C
-----------------------------	--------------------------	-------------------------------------	--------------------------

<b>Dark Grey ISPmanager</b>	<b>CMYK</b> 0-0-0-93	<b>RGB</b> 48-48-48 #303030	<b>Pantone</b> 5185 C
---------------------------------	-------------------------	-----------------------------------	--------------------------

<b>White</b>	<b>CMYK</b> 0-0-0-0	<b>RGB</b> 255-255-255 #FFFFFF	<b>Pantone</b>
--------------	------------------------	--------------------------------------	----------------



# Use of company logo

# Use on different backgrounds

The required type of logo should be chosen according to the background of the media

Do not allow options with low contrast, when the logo is hard to read or blends with the background. In such cases, it is better to replace the background, or lighten/darken it, or select a different type of logo

Do not allow the logo to be used on a mottled background when the logo is poorly legible. In such cases, it is better to change the background to a more uniform



# Inadmissible uses of the logo

The example of the main logo shows how you cannot use the logo and brand mark

1. Do not distort the proportions of the logo
2. Do not rotate the logo
3. Do not paint the logo in any colors other than the corporate
4. Do not texture the logo
5. Do not apply a gradient fill to a logo
6. Do not use any effects: shadows, strokes, highlights, embossing, etc.
7. Do not use the logo without the mark
8. Do not disassemble or combine the logo's elements in other ways

